



MB-HDS314



1250 mm



1350 mm





1430 mm

ACCESSORIES





- SPARE PARTS KIT
- FIXED COUPLING
- SHAFT HOLDER
- RC COMPOST KIT
- RM MIXER KIT
- RE8 FINE SIFTING KIT
- RE16 FINE SIFTING KIT
- RQ20 MEDIUM SIFTING KIT
- RQ50 MEDIUM SIFTING KIT

SPECIFICATIONS

EQUIPMENT	 $\geq 10 \leq 20$ Ton  $\geq 6 \leq 10$ Ton
LOAD CAPACITY	0,9 m ³
DIMENSIONS	1430 x 1350 x H 1250 mm
PRESSURE	> 230 bar
WEIGHT	1,40 Ton
OIL FLOW	100 l/min.

SHAFT KITS

* shaft in closed position

KIT	SETTINGS	APPLICATION
 RC COMPOST KIT	36,5* mm	Crushing brushwood and wood trusses Composting
 RM MIXER KIT	-	Soil Aeration Compost aeration Breaking down charcoal Crushing glass Crushing drywall
 RE8/RE16 FINE SIFTING KIT	8,5/16 mm	Sifting damp/dry soil
 RQ20/RQ50 MEDIUM SIFTING KIT	20/50 mm	Sifting damp/dry soil Soil aeration

AREAS OF APPLICATION



RECYCLING



UTILITY WORK



COMPOSTING

INDUSTRIAL
AREASENVIRONMENTAL
REMEDIATIONSFINE
SIFTING

The data provided above is not binding, as the manufacturer reserves itself the right to make improvements to its products at any time and with no advance notice. References to excavator weights are approximate and many may be subject to changes.

Rev. 2020 / 07



WWW.MBCRUSHER.COM